

	Type	L #	Hits	Search Text	DBs
1	BRS	L3	2220	345/87.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
2	BRS	L4	736	345/89.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
3	BRS	L5	288	345/90.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
4	BRS	L6	231	345/205.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
5	BRS	L7	158	345/206.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
6	BRS	L8	665	345/92.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
7	BRS	L9	3946	3 or 4 or 5 or 6 or 7 or 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
8	BRS	L10	228532	LCD or "liquid crystal display"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
9	BRS	L11	108	francis near nguyen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
10	BRS	L12	2	worley and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
11	BRS	L13	190904	(display adj element) or pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
12	BRS	L14	227119	control near signals	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L15	80416	memory adj cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
14	BRS	L16	41370	reduce near power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
15	BRS	L17	2463	15 and 16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
16	BRS	L18	9	9 and 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20020718	60	Display, portable device, and substrate	US 20020093472 A1	345/87	
2	20020620	38	Display apparatus and driving method thereof	US 20020075211 A1	345/87	
3	20020418	14	Pattern output circuit and pattern output method	US 20020044114 A1	345/87	
4	20020328	37	Method and circuit for driving electro-optical device, electro-optical device, and electronic apparatus	US 20020036611 A1	345/89	
5	20020221	43	Liquid crystal display device and method of driving the same	US 20020021295 A1	345/205	345/87
6	20010927	22	Display and method of driving display	US 20010024187 A1	345/98	345/92
7	20000905	56	Liquid crystal display apparatus	US 6115017 A	345/92	345/98; 349/48
8	19990831	35	Display device	US 5945972 A	345/98	345/100; 345/90
9	19980127	36	Liquid crystal display device	US 5712652 A	345/90	345/204; 345/30; 345/55; 345/98; 349/19; 349/33; 349/41